



sks hospitality

ACCESSORIES

MOBILE STAGE

ROSTRUM

DANCE FLOOR



MOBILE STAGE

MS-C / 1000

Single height carpet stage. One person operation. Easy and quick foldaway when storing and setting up. 70mm (2¾ inch) heavy duty wheels, (2 fixes, 2 swivel) provide a smooth and silent transfer.

- » **Core** - 14mm solid plywood base.
- » **Surface** - Carpet glued and pinned to plywood base.
- » **Edge** - 2mm thick aluminium protective lips (standard natural anodize finish)
- » **Leg** - Special design fabricated mild steel structure with self locking mechanisms during usage and storing.
- » **Connectors** - Heavy steel plate latches are fitted for top to top connections on 3 sides.
- » **Overall Dimensions** - 2440 (W) x 1220 (D) x 195 (H) mm
1220 (W) x 550 (D) x 11305 (H) mm (Foldaway position)


OPTION

MS-P / 1000

- » **Teakwood Surface** - Select grade 6mm solid teakwood basket weave parquet glued and pinned to plywood base. Finishing in polyurethane.



MS-C / 1000



MOBILE STAGE

MS-C / 1200

Dual height (432mm and 610mm / 17 inch and 24 inch) carpet stage. One person operation. Easy and quick foldaway when storing and setting up. 126mm (5 inch) heavy duty wheels (2 fixed, 2 swivel) provide a smooth and silent transfer.

- » **Core** - 14mm solid plywood base.
- » **Surface** - Carpet glued and pinned to plywood base.
- » **Edge** - 2mm thick mild steel protective lips (standard black powder epoxy coating) with velcro for skirting trimmings
- » **Leg** - Special design fabricated mild steel structure, with self locking mechanisms during usage and storing complete with slot in pins for extension height locking and doubles also as a additional safety feature.
- » **Connectors** - Heavy steel plate latches are fitted for top to top connections on 3 sides.
- » **Overall Dimensions** - 2440 (W) x 1830 (D) x 432 (H) mm
2440 (W) x 1830 (D) x 610 (H) mm (Extended height)
1830 (W) x 550 (D) x 1524 (H) mm (Foldaway position)


OPTION

MS-P / 1200

- » **Teakwood Surface** - Select grade 6mm solid teakwood basket weave parquet glued and pinned to plywood base. Finishing in polyurethane.



MS-C / 1200



MOBILE STAGE

MS-C / 1100

Dual height (432mm and 610mm / 17 inch and 24 inch) carpet stage. One person operation. Easy and quick foldaway when storing and setting up. 126mm (5 inch) heavy duty wheels (2 fixed, 2 swivel) provide a smooth and silent transfer.

- » **Core** - 14mm solid plywood base.
- » **Surface** - Carpet glued and pinned to plywood base.
- » **Edge** - 2mm thick mild steel protective lips (standard black powder epoxy coating) with velcro for skirting trimmings
- » **Leg** - Special design fabricated mild steel structure, with self locking mechanisms during usage and storing complete with slot in pins for extension height locking and doubles also as a additional safety feature.
- » **Connectors** - Heavy steel plate latches are fitted for top to top connections on 3 sides.
- » **Overall Dimensions** - 2440 (W) x 1220 (D) x 432 (H) mm
2440 (W) x 1220 (D) x 610 (H) mm (Extended height)
1220 (W) x 550 (D) x 1524 (H) mm (Foldaway position)

OPTION

MS-P / 1100

- » **Teakwood Surface** - Select grade 6mm solid teakwood basket weave parquet glued and pinned to plywood base. Finishing in polyurethane.



MS-C / 1100



MOBILE STAGE

MS-C / 1300

Dual height (610mm and 812mm / 24 inch and 32 inch) carpet stage. One person operation. Easy and quick foldaway when storing and setting up. 126mm (5 inch) heavy duty wheels (2 fixed, 2 swivel) provide a smooth and silent transfer.

- » **Core** - 14mm solid plywood base.
- » **Surface** - Carpet glued and pinned to plywood base.
- » **Edge** - 2mm thick mild steel protective lips (standard black powder epoxy coating) with velcro for skirting trimmings.
- » **Leg** - Special design fabricated mild steel structure, with self locking mechanisms during usage and storing complete with slot in pins for extension height locking and doubles also as a additional safety feature.
- » **Connectors** - Heavy steel plate latches are fitted for top to top connections on 3 sides.
- » **Overall Dimensions** - 2440 (W) x 1830 (D) x 610 (H) mm
2440 (W) x 1830 (D) x 812 (H) mm (Extended height)
1830 (W) x 550 (D) x 1705 (H) mm (Foldaway position)


OPTION

MS-P / 1300

- » **Teakwood Surface** - Select grade 6mm solid teakwood basket weave parquet glued and pinned to plywood base. Finishing in polyurethane.



MS-C / 1300



MOBILE STAGE

STEPS RISE



SR-C / 2

SR-C / 2


2 steps rise for use with mobile stage height of 432mm (17 inch). Steps are in carpet which is glued and pinned to a 19mm solid plywood base. Edging in a special protective mild steel lip that prevents carpet edges from unraveling. Legs are fitted with studs to protect floor surfaces from damages.

- » **Leg frame material** - 27mm round mild steel tube in standard black powder epoxy coating.
- » **Steps** - 19mm thick solid plywood with carpet floor.
- » **Overall Dimensions** - 978 (W) x 628 (D) x 486 (H) mm

OPTION

SR-P / 2

- » Steps are in solid teakwood parquet finish.



SR-C / 3

MOBILE STAGE

STEPS RISE

SR-C / 3


3 steps rise for use with mobile stage height of 610mm (24 inch). Steps are in carpet which is glued and pinned to a 19mm solid plywood base. Edging in a special protective mild steel lip that prevents carpet edges from unraveling. Legs are fitted with studs to protect floor surfaces from damages. Detachable are rests give a more steady ascend and is easily storable.

- » **Hand rail frame material** - 25mm round mild steel tube in standard black powder epoxy coating.
- » **Leg frame material** - 27mm round mild steel tube in standard black powder epoxy coating.
- » **Steps** - 19mm thick solid plywood with carpet floor.
- » **Overall Dimensions**
 - 978 (W) x 927 (D) x 1365 (H) mm
 - 978 (W) x 927 (D) x 628 (H) mm (without handrail)

OPTION

SR-P / 3

- » Steps are in solid teakwood parquet finish.



SR-C / 4

SR-C / 4

4 steps rise for use with mobile stage height of 812mm (32 inch). Steps are in carpet which is glued and pinned to a 19mm solid plywood base. Edging in a special protective mild steel lip that prevents carpet edges from unraveling. Legs are fitted with studs to protect floor surfaces from damages. Detachable are rests give a more steady ascend and is easily storable.

- » **Hand rail frame material** - 25mm round mild steel tube in standard black powder epoxy coating.
- » **Leg frame material** - 27mm round mild steel tube in standard black powder epoxy coating.
- » **Steps** - 19mm thick solid plywood with carpet floor.
- » **Overall Dimensions**
 - 978 (W) x 1238 (D) x 1647 (H) mm
 - 978 (W) x 1238 (D) x 867 (H) mm (without handrail)

OPTION

SR-P / 4

- » Steps are in solid teakwood parquet finish.

MOBILE STAGE

DANCE FLOOR

DF-T / 36

The dance floor, combines durability and elegance with ease of assembly to give a perfect complement to your every ballroom needs.

- » **Core** - 19mm fibre board with water proofing.
- » **Surface** - Selected grade 6mm basketweave solid teakwood parquet, glued and pinned to the fibre board base.
- » **Edge** - 6mm thick aluminium tongue & groove moulding, protects edges and acts as part of the locking and levelling system.
- » **Panel Locking** - Designed to be self levelling by means of a locking tongue & groove aluminium extrusions. Two hex sockets screws on each side.
- » **Finish** - Factory applied polyurethane finish. Light buffing quickly restores floors natural beauty.
- » **Perimeter Trim** - Gold anodize aluminium finish with tongue & groove design for easy assembly.

Overall Dimensions - 922 (W) x 922 (D) x 25 (H) mm


OPTION

DF-O / 36

- » **Surface** - Selected grade 6mm basketweave solid oakwood parquet, glued and pinned to the fibre board base.



DF-T / 36




MOBILE STAGE

DANCE FLOOR TRIMMINGS

The dance floor trimming combines durability and elegance with ease of assembly to give a perfect compliment.

» **Materials** - Aluminium tongue and groove moulding, protects edges and acts as part of the locking and levelling system.

» **Finish** - Gold anodizing only.



MOBILE STAGE

DANCE FLOOR TROLLEY

DF-T / 440

Specially designed to transport and store portable dance floors. The trolley is designed and constructed for durability and heavy duty purposes.

This trolley provides a solution for handling, transportation and storage for SKS dance floor. They maintain the clean sharp edges required to join the dance floors together. The dance floor is placed on the trolley sideways and the carpeted platform prevents it from slipping out or down. A flip over bar facilitates the removal and storage of the dance floors.

The heavy duty rubber wheels prevent the tearing of carpets and insures a smooth, silent movement. The two front wheels are fixed to face the front permanently while the two back wheels are free to swivel 360 degrees. This provides an advantage of flexible movement and control to trolley when heavily loaded. Handle bar also assists in all movements.

Total capacity : 25 Nos

- » **Materials** - Mild steel structure is coated in light grey powder epoxy coating. Trolley platform is constructed from plywood and finished in carpet. Heavy duty rubber wheels are 156mm in diameter.
- » **Overall Dimensions** - 725 (W) x 1160 (D) x 1055 (H) mm



DF-T / 440



1160mm



725mm

1055mm

MOBILE STAGE

GUARD RAIL

As an added safety feature for our mobile stage
Constructed of 32mm MS round tube fully robotic welded and finished in Black Texture powder epoxy coating.

Sizes available in 1220 & 1530 mm length
Overall Height 905 mm

» **Materials** - Mildsteel Round Tube 32mm in Black powder epoxy coating



CHAIR/TABLE STOPPER

To prevent chairs or tables from being pushed or sliding off the stage.
Constructed of 32mm MS round tube, fully robotic welded and finished in Black Texture powder epoxy coating.

Sizes available in 1220, 1530 & 2440 mm length
Overall Height 100 mm

» **Materials** - Mildsteel Round Tube 32mm in Black powder epoxy coating



MOBILE STAGE

ROSTRUM

SR 200

Traditional design in all wood with trimmings for conference and function needs. Standing rostrum gives any speaker a clearer distinction in presentation. Lightweight and mobile for easy use and storage. Features a reclining reading tablet for reader's legibility comfort. One shelving for storage purposes is provided.

Optional accessories : Lighting, Acrylic logo, Microphone.

» **Materials** - Nyatoh ply and solid wood in varying sizes. Standard natural stain finish (available in other stain finishes)


» **Overall Dimensions** - 635 (W) x 485 (D) x 1150 (H) mm



SR 200



1150 mm



SR 210

Traditional design in all wood with trimmings for conference and function needs. Standing rostrum gives any speaker a clearer distinction in presentation. Lightweight and mobile for easy use and storage. Features a reclining reading tablet for reader's legibility comfort. One shelving for storage purposes is provided.

Optional accessories : Lighting, Acrylic logo, Microphone.

» **Materials** - Nyatoh ply and solid wood in varying sizes. Standard natural stain finish (available in other stain finishes)


» **Overall Dimensions** - 560 (W) x 365 (D) x 1150 (H) mm



SR 210



1150 mm



*All images are for illustration purpose only. For full specification please contact our sales representative.

MOBILE STAGE

ROSTRUM


SR 300

A bespoke design in stainless steel (hairline finish) with wood in high pressure laminate for conference and function needs. Standing rostrum gives any speaker a clearer distinction in presentation. Lightweight and mobile for easy use and storage. Features a reclining reading tablet for reader's legibility comfort. A shelving for storage of audio equipment and documents is provided. A retractable elevated base is to provide solution for height increment. To complete the product, accessories like lighting & customized logo plate, gooseneck microphone, AV connectors are optional and available upon customer's request only.

- » **Materials** - Stainless steel 304 plate, solid plywood and high pressure laminate in woodgrain.
2" wheel (2 rigid + 2 lockable swivel)
- » **Overall Dimensions** - 550 (W) x 570 (D) x 1240 (H) mm



SR 300



* All images are for illustration purpose only. For full specification please contact our sales representatives.

MOBILE STAGE

ROSTRUM

SR 310


A bespoke design in stainless steel (hairline finish) with wood in high pressure laminate for conference and function needs. Standing rostrum gives any speaker a clearer distinction in presentation. Lightweight and mobile for easy use and storage. Features a reclining reading tablet for reader's legibility comfort. A shelving for storage of audio equipment and documents is provided. A retractable elevated base is to provide solution for height increment. To complete the product, accessories like lighting & customized logo plate, gooseneck microphone, AV connectors are optional and available upon customer's request only.

» **Materials** - Stainless steel 304 plate, solid plywood and high pressure laminate in woodgrain.
2" wheel (2 rigid + 2 lockable swivel)

» **Overall Dimensions** - 550 (W) x 570 (D) x 1240 (H) mm



SR 310



ROSTRUM

SR 320


A bespoke design in stainless steel (hairline finish) with acrylic in frosted finish for conference and function needs. Standing rostrum gives any speaker a clearer distinction in presentation. Lightweight and mobile for easy use and storage. Features a reclining reading tablet for reader's legibility comfort. A shelving for storage of audio equipment and documents is provided. A retractable elevated base is to provide solution for height increment. To complete the product, accessories like lighting & customized logo plate, gooseneck microphone, AV connectors are optional and available upon customer's request only.

» **Materials** - Stainless steel 304 plate and Acrylic (Clear / Frosted) 2" wheel (2 rigid + 2 lockable swivel)

» **Overall Dimensions** - 550 (W) x 470 (D) x 1170 (H) mm



SR 320



* All images are for illustration purpose only. For full specification please contact our sales representative.